
AMENDMENT NO.: 1
TO THE TENDER DOCUMENTS
Defence Construction (1951) Limited

CLOSING DATE/TIME: As indicated on the *Electronic Bidding System*

PROJECT NO.: KN169905_69508

AMENDMENT DATE: June 9, 2026

PROJECT TITLE: Heritage Masonry Repairs at R32 & R33 - Phase 3
Kingston, Ontario

TO ALL TENDERERS:

THE PURPOSE OF THIS AMENDMENT IS TO GIVE EFFECT TO THE FOLLOWING:

1. Tenderers are advised for security clearance requirements, building interiors are to be treated as Operations Zones and building exteriors are to be treated as Public/Reception Zones.
2. To **ISSUE** KN169905 Package A R32 & Package B R33 Unit Price Table Companion Document.
3. Reference KN169905 Package A R32 & Package B R33 Unit Price Table Companion Document: Tenderers are advised to enter their pricing directly into the Electronic Bidding System. In the event that the Tenderer submits a copy of the Unit Price Table Companion Document with pricing as part of their Tender, the unit prices entered directly into the Electronic Bidding System will govern.
4. Reference in Package A and Package B, 04 03 01 – Heritage Common Work Results for Masonry: **INSERT** new sub-paragraph 1.11.6.1:
“For the avoidance of doubt, the cost for the Zone Repair work is to be included in the Balance of Project Lump Sum. The estimated quantities presented in the Unit Price Table do not include the Zone Repair work.”
5. Reference in Package A, 04 43 00 – Stone Supply: **DELETE** sub-paragraph 1.1.3.1 and **REPLACE** with new sub-paragraph 1.1.3.1:
“1.1.3.1 Unit prices for stone supply shall apply to the applicable Unit Price items listed in items 1.01 to 1.10 in Table 1 of the Unit Price Table.”
6. Reference in Package A, 04 43 00 – Stone Supply: **DELETE** sub-paragraph 1.1.3.3 and **REPLACE** with new sub-paragraph 1.1.3.3:
“1.1.3.3 Unit prices in Table 1 shall include:”
7. Reference in Package A, 04 43 00 – Stone Supply: **DELETE** sub-paragraph 1.1.3.4 and **REPLACE** with new sub-paragraph 1.1.3.4:

- “1.1.3.4 Unit prices in Table 1 shall not include removal, dismantling, preparation, installation, pointing, or finishing. These costs shall be include in the corresponding unit prices in Table 2 of the Unit Price Table.”
8. Reference in Package B, 04 43 00 – Stone Supply: **DELETE** sub-paragraph 1.1.3.1 and **REPLACE** with new sub-paragraph 1.1.3.1:
- “1.1.3.1 Unit prices for stone supply shall apply to the applicable Unit Price items listed in items 4.01 to 4.09 in Table 4 of the Unit Price Table.”
9. Reference in Package B, 04 43 00 – Stone Supply: **DELETE** sub-paragraph 1.1.3.3 and **REPLACE** with new sub-paragraph 1.1.3.3:
- “1.1.3.3 Unit prices in Table 4 shall include:”
10. Reference in Package B, 04 43 00 – Stone Supply: **DELETE** sub-paragraph 1.1.3.4 and **REPLACE** with new sub-paragraph 1.1.3.4:
- “1.1.3.4 Unit prices in Table 4 shall not include removal, dismantling, preparation, installation, pointing, or finishing. These costs shall be include in the corresponding unit prices item in Table 5 of the Unit Price Table.”
11. Reference in Package A, 04 43 00 – Stone Supply, sub-paragraph 2.1.3.4: **INSERT** new sub-paragraph 2.1.3.4.3:
- “2.1.3.4.3 If the contractor desires to use an alternate material, in lieu of the acceptable material(s), the contractor is to follow the procedures for requesting the use of alternate material. Refer to the DCL193: Instructions to Tenderers and DCL242: Requests for Acceptance of Alternative Material.
12. Refence Package A, Drawing Detail 5/202 (Zone 5): **DELETE** the three (3) bullets in its entirety and **REPLACE** with the following 2 bullets:
- See elevation for location and for additional repairs to be performed, under the unit rate pricing, at this area. The unit rate repairs specifically called out in this are not to be included in the Balance of Project line item.
 - Repoint all joints in area indicated. Assume 65% of the joints require deep-repointing. Cost to be included under Balance of Project.”
13. DCC has issued an Advance Procurement Notice (APN) number **KN169905_69508** to allow contractors that do not hold a valid Designated Organization Screening (DOS) security clearance to initiate the sponsorship process prior to the launch of this solicitation.
14. To be eligible for contract award, a Tenderer who does not hold a valid Designated Organization Verification (DOS) security clearance will be required to:
- a. have submitted a *Sponsorship application* prior to the date of publication of this tender call as indicated in the *Electronic Bidding System* (MERX); and
 - b. meet all material requirements of the *sponsorship application package* by the closing date of the tender call as indicated in the *Electronic Bidding System* (MERX).
 - c. Have submitted a *Proposal* or *bid*.
15. Reference DCL32 – General Conditions, **INSERT** the new “1.1.2.25 and GC1.1.2.26”.
- 1.1.2.25” *sponsorship application*” means the activity of having completed the questionnaire on the DCC web page and having forwarded the answers to the DCC Industrial Security Program (ISP)”.

1.1.2.26" *sponsorship application package*" means the activity of completing and forwarding the following forms to the DCC Industrial Security Program (ISP): the Application for Registration (AFR) for Canadian legal entities form, the Company Security Officer form, the Security Agreement form, the Security Clearance form, the Fingerprints Applicant form, the Alternate Company Security form and the Personnel Screening form".

16. Failure to comply with the requirements of paragraph 14 will result in a Tenderer's bid being considered non-compliant. However, if DCC determines, in its sole discretion that the failure of a Tenderer to obtain the required security clearance is due to undue administrative delay on the part of CSP or DCC, DCC may not, in its sole discretion, exercise its authority to disqualify such Tenderer.
17. All Tenderers should submit a completed Application for Registration (AFR) form with their tender as indicated in the Electronic Bidding System (MERX).
18. If a Tenderer fails to submit the AFR form with their bid, DCC reserves the right to request that the Tenderer submit the AFR form after the closing of the solicitation.
19. The date and time of the award will be at the sole discretion of DCC.
20. DCC recognizes that in some cases, additional organisational security measures may be required by CSP and that obtaining the required security clearance may be delayed due to factors beyond the Tenderer's control. In such cases, CSP will inform DCC detailing the nature of the extenuating circumstances and the expected timeline for delivering the DOS or FSC.
21. Notwithstanding the existence of extenuating circumstances, if the Tenderer is unable to obtain the required security clearance within the validity of the tender, DCC reserves the right, in its sole discretion, to declare the Tenderer non-compliant, to award the contract to the next lowest compliant Tenderer with the required security clearance, or to take any other action deemed appropriate.
22. The Tenderer acknowledges that no compensation, reimbursement or indemnification will be provided for any costs, losses or damages incurred of any kind as a result of the failure to obtain the required security clearance within the specified time period.
23. The Contractor must, at all times during the performance of the Contract/Standing Offer, **hold a valid Designated Organization Screening (DOS)**, issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
24. The Contractor/Offeror must, at all times during the performance of the Contract/Standing Offer, hold a valid Designated Organization Screening (DOS), issued by the Contract Security Program (CSP), Public Works and Government Services Canada (PWGSC).
25. The Contractor/Offeror personnel requiring access to sensitive site(s) must EACH hold a valid RELIABILITY STATUS, granted or approved by the CSP, PWGSC.
26. Subcontracts which contain security requirements are NOT to be awarded without the prior written permission of the CSP, PWGSC.
27. The Contractor/Offeror must comply with the provisions of the:
 - a) Security Requirements Check List (KGN-112974-H) and security guide (if applicable), attached (4 pages);

- b) Industrial Security Manual (Latest Edition).
28. All Tenderers should submit a completed List of Names for Integrity Verification form with their tender, as indicated in the Electronic Bidding System.
29. If a Tenderer fails to submit the completed List of Names for Integrity Verification form with their tender, DCC reserves the right to require a Tenderer to submit the List of Names for Integrity Verification form after the tender closes.
30. Reference DCL193E – Instructions to Tenderers for Electronic Bidding – **DELETE** Item 17 and **INSERT** new Item 17:
- “17 LANGUAGE OF THE CONTRACT
- 17.1 English shall be the language of the Contract and the entire written and verbal communication between the parties with respect to any matters related to the performance of the subject matter of the Contract.
- 17.2 Unless otherwise specified in the Contract, all contractual documents to which the Contract applies or refers, as well as all deliverables, documents, reports, and results of work, services, or goods that the Contractor submits, provides, or delivers to DCC or Canada as part of the performance of the Contract, shall be in English.”
- 17.3 DCC reserves the right to translate, either internally or through a third party, any deliverable produced by the Contractor. In the event that DCC proceeds with translation, the Contractor may be provided with an opportunity to review and comment on the translated deliverable.
31. Reference DCL32 – General Conditions, GC 3.10.3 – **DELETE** “3.9.1 of GC3.9” and **INSERT** “3.10.1 of GC3.10”.
32. Reference DCL32 – General Conditions – **DELETE** “3.8.1 of GC3.8” and **INSERT** new 3.8.1.
- “3.8.1 To the extent to which they are available and consistent with proper economy and the expeditious carrying out of the *Work*, the *Contractor* should, in the performance of the *Work*, employ a reasonable number of persons who have been on active service with the Armed Forces of Canada and have been honourably discharged therefrom.”
33. To bid on an opportunity, a bidder must be registered on the Open Construction Source List used to tender the opportunity. If the legal name of the bidder does not appear on the Open Construction Source List, then DCC may consider their bid as being noncompliant. If you change the name of your company, it is therefore very important that you notify DCC of the change as well as consider making the change to your MERX account.
34. If you are forming a Joint Venture for the purpose of bidding on a contract, then at least one of the members of the JV must be registered on the Open Construction Source List used to tender this opportunity. If that is not the case, then your bid will be considered noncompliant.

End of Amendment No. 1

UNIT PRICE TABLE – COMPANION DOCUMENT

Package A: R32 Masonry & Window Repairs

This document is intended to be a companion document to the Unit Price Table in the Electronic Bidding System. It provides references, measurement and costing details for the unit prices. This document should be read in conjunction with the contract documents and forms part of the contract.

The quantities listed in the unit price table in the Electronic Bidding System are estimated quantities only and may be increased or decreased in accordance with the requirements of the Work. All payments shall be based upon the actual quantity of materials supplied and work performed as approved by the DCC Representative in accordance with the General Conditions – DCL32.

1. The Tender Price shall consist of:
 - a. Unit Prices applied to Estimated Quantities listed in this table, and
 - b. Balance of Project Lump Sum, which includes all works identified in the Contract Documents, including all Zone Repair work, but not included under Unit Prices.
2. Measurement and payment shall be in accordance with:
 - a. Section 04 03 01 – Heritage Common Work Results for Masonry
 - b. Applicable Division 04 sections for materials, execution, and workmanship
 - c. Division 1 – General Requirements

TABLE 1: R32 MASONRY REPLACEMENTS

Unit Prices in this section apply to the supply of replacement stone material only. They include:

- Quarrying and selection of stone
- Cutting, fabrication, tooling, dressing, and finishing
- Transportation and delivery to site
- Handling and protection

Unit Prices do not include removal, dismantling, preparation, installation, pointing, or finishing, which are included under Table 2: 2.1 Repair Item C and 2.2 Repair Item G.

CODE	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY OF UNITS
1.01	Replace Kingston Limestone – bedding height up to 200mm, single face of stone finished	cubic metre	2.00

UNIT PRICE TABLE – COMPANION DOCUMENT

Package A: R32 Masonry & Window Repairs

1.02	Replace Kingston Limestone – bedding height from 201mm to 300mm, single face of stone finished	cubic metre	1.00
1.03	Replace Kingston Limestone – bedding height from 301mm to 400mm, single face of stone finished	cubic metre	1.00
1.04	Replace Kingston Limestone – bedding height up to 200mm, two faces of stone finished, multiple angles in any direction	cubic metre	1.00
1.05	Replace Kingston Limestone – bedding height from 201mm to 300mm, two faces of stone finished, multiple angles in any direction	cubic metre	1.00
1.06	Replace Kingston Limestone – bedding height from 301mm to 400mm, two faces of stone finished, multiple angles in any direction	cubic metre	1.00
1.07	Replace Kingston Limestone – bedding height up to 200 mm, multiple faces of stone finished, and/or multiple angles in any direction, and/or multiple types of finishes	cubic metre	1.00
1.08	Replace Kingston Limestone – bedding height from 201 mm to 300 mm, multiple faces of stone finished, and/or multiple angles in any direction, and/or multiple types of finishes	cubic metre	1.00
1.09	Replace Kingston Limestone – bedding height from 301mm to 400mm, multiple faces of stone finished, and/or multiple angles in any direction, and/or multiple types of finishes	cubic metre	1.00
1.10	Replace Queenston lintel, sill, or band stone per repair item G.	cubic metre	3.00

TABLE 2: R32 MASONRY DISMANTLING AND REBUILDING

Unit Prices shall include:

- Dismantling of exterior wall assembly up to 400 mm deep
- Stabilization of the core
- Cleaning and preparation
- Reinstallation of existing masonry units or installation of precured masonry units under items 1.01 to 1.10 in Table 1
- Repointing and finishing to match surrounding area

UNIT PRICE TABLE – COMPANION DOCUMENT

Package A: R32 Masonry & Window Repairs

Work shown on drawings and corresponding to Unit Price items shall be measured and paid under the applicable Unit Price items.

Work shown on drawings and not corresponding to Unit Price items, such as Zone Repair areas, shall be included in the Balance of Project Lump Sum.

CODE	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY OF UNITS
2.01	Repair Item C - Dismantle and rebuild – Kingston stone masonry exterior wall assembly, up to 400 mm deep, including stabilization of core, per square meter of face area.	square metre	30.00
2.02	Repair Item G - Dismantle and rebuild lintel, sill, or band Queenston stone, including stabilization of core, per square meter of face area.	square metre	8.00

TABLE 3: R32 MASONRY CRACK, JOINT & PATCH REPAIRS

Unit Prices in this section shall include:

- Removal of deteriorated mortar or stone
- Preparation and cleaning
- Supply and installation of repair mortar or stone
- Finishing and curing
- Cleaning and protection

Work shown on drawings and corresponding to Unit Price items shall be measured and paid under the applicable Unit Price items. Work shown on drawings and not corresponding to Unit Price items, such as Zone Repair areas, shall be included in the Balance of Project Lump Sum.

CODE	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY OF UNITS
3.01	Repair Item A1 - Repointing of Limestone Joints - Unit price includes all labour and materials, and equipment to remove and repoint up to 49mm deep, up to 12.5mm thick, and per square meter of face area. (Refer to Section 04 03 07)	square metre	10.00
3.02	Repair Item A2 - Repointing of Limestone Joints - Unit price includes all labour and materials, and equipment to remove and repoint from 50 mm to	square metre	24.00

UNIT PRICE TABLE – COMPANION DOCUMENT

Package A: R32 Masonry & Window Repairs

	150 mm deep, up to 12.5mm thick, and per square meter of face area. (Refer to Section 04 03 07)		
3.03	Repair Item B - Mortar Patching repairs to locations of previous or new repair locations. Unit price includes labour and materials for removal, preparation and patching, curing and finishing patch. (Refer to Section 04 03 45)	cubic decimetre	1.30
3.04	Repair Item D - Filling Stone Crack in Place – Unit price includes labour and materials, preparation, cleaning, flushing, lime-based crack injection, curing, and patching around crack. (Refer to Section 04 03 45)	linear metre	14.00
3.05	Repair Item E - Dutchman Repair - Unit price includes labour and materials for removal, cutting, preparation, stone insert, repair mortar, curing, finishing, repointing and patching. (Refer to Section 04 03 45)	cubic metre	5.00
3.06	Repair Item F - Skyward Joint Treatment. (Refer to Section 04 03 07) For bidding purposes, Tenderers are to assume each skyward joint is approximately 12.5mm thick, 203mm in height, 405mm in length and typically spaced at 1,430mm o.c. Quantity is for the combined length of the perpendicular joints.	linear metre	40.00

UNIT PRICE TABLE – COMPANION DOCUMENT

Package B: R33 Masonry Repairs

TABLE 4: R33 MASONRY REPLACEMENTS

Unit Prices in this section apply to the supply of replacement stone material only. They include:

- Quarrying and selection of stone
- Cutting, fabrication, tooling, dressing, and finishing
- Transportation and delivery to site
- Handling and protection

Unit Prices do not include removal, dismantling, preparation, installation, pointing, or finishing, which are included under Table 2: 2.1 Repair Item C and Zone 4 work.

CODE	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY OF UNITS
4.01	Replace Kingston Limestone – bedding height up to 200mm, single face of stone finished	cubic metre	2.00
4.02	Replace Kingston Limestone – bedding height from 201mm to 300mm, single face of stone finished	cubic metre	2.00
4.03	Replace Kingston Limestone – bedding height from 301mm to 400mm, single face of stone finished	cubic metre	2.00
4.04	Replace Kingston Limestone – bedding height up to 200mm, two faces of stone finished, multiple angles in any direction	cubic metre	1.00
4.05	Replace Kingston Limestone – bedding height from 201mm to 300mm, two faces of stone finished, multiple angles in any direction	cubic metre	1.00
4.06	Replace Kingston Limestone – bedding height from 301mm to 400mm, two faces of stone finished, multiple angles in any direction	cubic metre	1.00
4.07	Replace Kingston Limestone – bedding height up to 200 mm, multiple faces of stone finished, and/or multiple angles in any direction, and/or multiple types of finishes	cubic metre	1.00
4.08	Replace Kingston Limestone – bedding height from 201 mm to 300 mm, multiple faces of stone finished, and/or multiple angles in any direction, and/or multiple types of finishes	cubic metre	2.00

UNIT PRICE TABLE – COMPANION DOCUMENT

Package B: R33 Masonry Repairs

4.09	Replace Kingston Limestone – bedding height from 301mm to 400mm, multiple faces of stone finished, and/or multiple angles in any direction, and/or multiple types of finishes	cubic metre	2.00
------	---	-------------	------

TABLE 5: R33 MASONRY DISMANTLING AND REBUILDING

Unit Prices shall include:

- Dismantling of exterior wall assembly up to 400 mm deep
- Stabilization of the core
- Cleaning and preparation
- Reinstallation of existing masonry units or installation of precured masonry units under items 4.1 to 4.9 in Table 4.
- Repointing and finishing to match surrounding area

Work shown on drawings and corresponding to Unit Price items shall be measured and paid under the applicable Unit Price items. Work shown on drawings and not corresponding to Unit Price items, such as Zone Repair areas, shall be included in the Balance of Project Lump Sum.

CODE	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY OF UNITS
5.01	Repair Item C - Dismantle and rebuild – Kingston stone masonry exterior wall assembly, up to 400 mm deep, including stabilization of core, per square meter of face area.	square metre	20

TABLE 6: MASONRY CRACK, JOINT & PATCH REPAIRS

Unit Prices in this section shall include:

- Removal of deteriorated mortar or stone
- Preparation and cleaning
- Supply and installation of repair mortar or stone
- Finishing and curing
- Cleaning and protection

Work shown on drawings and corresponding to Unit Price items shall be measured and paid under the applicable Unit Price items. Work shown on drawings and not corresponding to Unit Price items, such as Zone Repair areas, shall be included in the Balance of Project Lump Sum.

UNIT PRICE TABLE – COMPANION DOCUMENT**Package B: R33 Masonry Repairs**

CODE	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY OF UNITS
6.01	Repair Item A1 - Repointing of Limestone Joints - Unit price includes all labour and materials, and equipment to remove and repoint up to 49mm deep, up to 12.5mm thick, and per square meter of face area. (Refer to Section 04 03 07)	square metre	6.00
6.02	Repair Item A2 - Repointing of Limestone Joints - Unit price includes all labour and materials, and equipment to remove and repoint from 50 mm to 150 mm deep, up to 12.5mm thick, and per square meter of face area. (Refer to Section 04 03 07)	square metre	2.00
6.03	Repair Item B - Mortar Patching repairs to locations of previous or new repair locations. Unit price includes labour and materials for removal, preparation and patching, curing and finishing patch. (Refer to Section 04 03 45)	cubic decimetre	2.00
6.04	Repair Item D - Filling Stone Crack in Place – Unit price includes labour and materials, preparation, cleaning, flushing, lime-based crack injection, curing, and patching around crack. (Refer to Section 04 03 45)	linear metre	20.00
6.05	Repair Item E - Dutchman Repair - Unit price includes labour and materials for removal, cutting, preparation, stone insert, repair mortar, curing, finishing, repointing and patching. (Refer to Section 04 03 45)	cubic metre	2.0
6.06	Repair Item F - Skyward Joint Treatment. (Refer to Section 04 03 07) For bidding purposes, Tenderers are to assume each skyward joint is approximately 12.5mm thick, 203mm in height, 405mm in length and typically spaced at 1,430mm o.c. Quantity is for the combined length of the perpendicular joints.	linear metre	20.00



SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A - INFORMATION CONTRACTUELLE

1. Originating Government Department or Organization / Ministère ou organisme gouvernemental d'origine DND		2. Branch or Directorate / Direction générale ou Direction Real Property Ops Detachment Kingston	
3. a) Subcontract Number / Numéro du contrat de sous-traitance N/A		3. b) Name and Address of Subcontractor / Nom et adresse du sous-traitant N/A	
4. Brief Description of Work / Brève description du travail Construction Contract for masonry repairs to RMC buildings R32 and R33 phase 3. The majority of the work will be on the exterior, but some work will be required inside the buildings.			
5. a) Will the supplier require access to Controlled Goods? Le fournisseur aura-t-il accès à des marchandises contrôlées?		<input checked="" type="checkbox"/> Yes Oui	<input type="checkbox"/> No Non
5. b) Will the supplier require access to unclassified military technical data subject to the provisions of the Technical Data Control Regulations? Le fournisseur aura-t-il accès à des données techniques militaires non classifiées qui sont assujetties aux dispositions du Règlement sur le contrôle des données techniques?		<input checked="" type="checkbox"/> Yes Oui	<input type="checkbox"/> No Non
6. Indicate the type of access required / Indiquer le type d'accès requis			
6. a) Will the supplier and its employees require access to PROTECTED and/or CLASSIFIED information or assets? Le fournisseur ainsi que les employés auront-ils accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS? (Specify the level of access using the chart in Question 7. c) (Préciser le niveau d'accès en utilisant le tableau qui se trouve à la question 7. c)		<input checked="" type="checkbox"/> Yes Oui	<input type="checkbox"/> No Non
6. b) Will the supplier and its employees (e.g. cleaners, maintenance personnel) require access to restricted access areas? No access to PROTECTED and/or CLASSIFIED information or assets is permitted. Le fournisseur et ses employés (p. ex. nettoyeurs, personnel d'entretien) auront-ils accès à des zones d'accès restreintes? L'accès à des renseignements ou à des biens PROTÉGÉS et/ou CLASSIFIÉS n'est pas autorisé.		<input type="checkbox"/> Yes Oui	<input checked="" type="checkbox"/> No Non
6. c) Is this a commercial courier or delivery requirement with no overnight storage? S'agit-il d'un contrat de messagerie ou de livraison commerciale sans entreposage de nuit?		<input checked="" type="checkbox"/> Yes Oui	<input type="checkbox"/> No Non
7. a) Indicate the type of information that the supplier will be required to access / Indiquer le type d'information auquel le fournisseur devra avoir accès			
Canada <input type="checkbox"/>		NATO / OTAN <input type="checkbox"/>	Foreign / Étranger <input type="checkbox"/>
7. b) Release restrictions / Restrictions relatives à la diffusion			
No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	All NATO countries Tous les pays de l'OTAN <input type="checkbox"/>	No release restrictions Aucune restriction relative à la diffusion <input type="checkbox"/>	
Not releasable À ne pas diffuser <input type="checkbox"/>			
Restricted to: / Limité à : <input type="checkbox"/>	Restricted to: / Limité à : <input type="checkbox"/>	Restricted to: / Limité à : <input type="checkbox"/>	
Specify country(ies): / Préciser le(s) pays :	Specify country(ies): / Préciser le(s) pays :	Specify country(ies): / Préciser le(s) pays :	
7. c) Level of information / Niveau d'information			
PROTECTED A PROTÉGÉ A <input type="checkbox"/>	NATO UNCLASSIFIED NATO NON CLASSIFIÉ <input type="checkbox"/>	PROTECTED A PROTÉGÉ A <input type="checkbox"/>	
PROTECTED B PROTÉGÉ B <input type="checkbox"/>	NATO RESTRICTED NATO DIFFUSION RESTREINTE <input type="checkbox"/>	PROTECTED B PROTÉGÉ B <input type="checkbox"/>	
PROTECTED C PROTÉGÉ C <input type="checkbox"/>	NATO CONFIDENTIAL NATO CONFIDENTIEL <input type="checkbox"/>	PROTECTED C PROTÉGÉ C <input type="checkbox"/>	
CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	NATO SECRET NATO SECRET <input type="checkbox"/>	CONFIDENTIAL CONFIDENTIEL <input type="checkbox"/>	
SECRET SECRET <input type="checkbox"/>	COSMIC TOP SECRET COSMIC TRÈS SECRET <input type="checkbox"/>	SECRET SECRET <input type="checkbox"/>	
TOP SECRET TRÈS SECRET <input type="checkbox"/>		TOP SECRET TRÈS SECRET <input type="checkbox"/>	
TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>		TOP SECRET (SIGINT) TRÈS SECRET (SIGINT) <input type="checkbox"/>	



PART A (continued) / PARTIE A (suite)

8. Will the supplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS?
If Yes, indicate the level of sensitivity:
Dans l'affirmative, indiquer le niveau de sensibilité : ☒ No ☐ Yes
Non ☐ Oui
9. Will the supplier require access to extremely sensitive INFOSEC information or assets?
Le fournisseur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate? ☒ No ☐ Yes
Non ☐ Oui
- Short Title(s) of material / Titre(s) abrégé(s) du matériel :
Document Number / Numéro du document :

PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)

10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis
- | | | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> RELIABILITY STATUS
COTE DE FIABILITÉ | <input type="checkbox"/> CONFIDENTIAL
CONFIDENTIEL | <input type="checkbox"/> SECRET
SECRET | <input type="checkbox"/> TOP SECRET
TRÈS SECRET |
| <input type="checkbox"/> TOP SECRET- SIGINT
TRÈS SECRET – SIGINT | <input type="checkbox"/> NATO CONFIDENTIAL
NATO CONFIDENTIEL | <input type="checkbox"/> NATO SECRET
NATO SECRET | <input type="checkbox"/> COSMIC TOP SECRET
COSMIC TRÈS SECRET |
| <input type="checkbox"/> SITE ACCESS
ACCÈS AUX EMPLACEMENTS | | | |
- Special comments:
Commentaires spéciaux : Unscreened personnel may only access public and reception zones.
- NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.
REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être fourni.

10. b) May unscreened personnel be used for portions of the work?
Du personnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? ☐ No ☒ Yes
Non ☒ Oui
- If Yes, will unscreened personnel be escorted?
Dans l'affirmative, le personnel en question sera-t-il escorté? ☒ No ☐ Yes
Non ☐ Oui

PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)

- INFORMATION / ASSETS / RENSEIGNEMENTS / BIENS**
11. a) Will the supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or premises?
Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non ☐ Oui
11. b) Will the supplier be required to safeguard COMSEC information or assets?
Le fournisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC? ☒ No ☐ Yes
Non ☐ Oui

- PRODUCTION**
11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises?
Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ? ☒ No ☐ Yes
Non ☐ Oui

- INFORMATION TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)**
11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED information or data?
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS? ☒ No ☐ Yes
Non ☐ Oui
11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency?
Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale? ☒ No ☐ Yes
Non ☐ Oui



PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A	B	C	CONFIDENTIAL CONFIDENTIEL	SECRET	TOP SECRET TRÈS SECRET	NATO RESTRICTED NATO DIFFUSION RESTREINTE	NATO CONFIDENTIAL NATO CONFIDENTIEL	NATO SECRET	COSMIC TOP SECRET COSMIC TRÈS SECRET	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET TRES SECRET
											A	B	C			
Information / Assets Renseignements / Biens																
Production																
IT Media / Support TI																
IT Link / Lien électronique																

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED?
La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non

☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification".
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée
« Classification de sécurité » au haut et au bas du formulaire.

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?
La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

☒ No
Non


☐ Yes
Oui

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifiez le présent formulaire en indiquant le niveau de sécurité dans la case intitulée
« Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).




PART D - AUTHORIZATION / PARTIE D - AUTORISATION

13. Organization Project Authority / Chargé de projet de l'organisme

Name (print) - Nom (en lettres moulées)	Title - Titre	Signature	Digitally signed by MADORE, STEVE 250 Date: 2020.08.12 13:03:17 -04'00'
Major Steve Madore	OC RPOD Kingston	 MAJ MADORE EIA OC RPOD (D) DET KGN 5280	
Telephone No. - N° de téléphone (613) 541-5010 x 5280	Facsimile No. - N° de télécopieur 613-541-4495	E-mail address - Adresse courriel steve.madore9@forces.gc.ca	Date

14. Organization Security Authority / Responsable de la sécurité de l'organisme


Name (print) - Nom (en lettres moulées)	Title - Titre	Signature	Digitally signed by MURRAY, DAWN 355 DN: C=ca, O=gc, OU=dnd-mdn, OU=Personnel, OU=intern, CN="MURRAY, DAWN 355" Reason: I have reviewed this document Location: your signing location here Date: 2020-09-14 12:48:37 Foxit PhantomPDF Version: 9.7.1
DAWN MURRAY	SRCL/VCR TEAM LEADER	 MURRAY, DAWN 355	
Telephone No. - N° de téléphone 613-996-0274	Facsimile No. - N° de télécopieur	E-mail address - Adresse courriel DAWN.MURRAY@FORCES.GC.CA	Date 14 SEPTEMBER 2020

15. Are there additional instructions (e.g. Security Guide, Security Classification Guide) attached? Des instructions supplémentaires (p. ex. Guide de sécurité, Guide de classification de la sécurité) sont-elles jointes?	<input checked="" type="checkbox"/> No Non	<input type="checkbox"/> Yes Oui
---	---	-------------------------------------

16. Procurement Officer / Agent d'approvisionnement

N. Robin L. Entwistle Team Leader, Contract Services Defence Construction Canada CFB Kingston 6 Moro Street Kingston, ON K7K 7B4 Tel: Robin.Entwistle@dcc-cdc.gc.ca	Chef d'équipe, Services des marchés Construction de Défense Canada BFC Kingston 6, rue Moro Kingston, ON K7K 7B4	Title - Titre	Signature	entwistle, robin c=CA, o=GC, ou=DCC-CDC, cn=entwistle, robin Team Leader, Contract Services 2026.05.26 22:36:43 -04'00'
		de télécopieur	E-mail address - Adresse courriel	Date

17. Contract Security Officer / Officier de la sécurité du contrat

Name - Nom	Title - Titre	Signature	Digitally signed by Mureta, Kelly Date: 2020.09.30 14:30:43 -04'00'
Kelly Mureta Contract Security Officer Tel: 613-941-0441 kelly.mureta@tpsgc-pwgsc.gc.ca		 Mureta, Kelly	
Telephone - Téléphone		E-mail address - Adresse courriel	Date